



PISTON - CAR

Sr	Description	Engine	Model	Reference no.	Reference no.
1	Bore dia - 93.0 mm TL - 87.82 mm Comp. Height - 47.9 mm (2+1)	Chevrolet Isuzu	4JA1	Isuzu 8-94152-712-1 VAUXHALL 91141053 Isuzu 8941527121 Isuzu 8943692810	NÜRAL 87-248000-00 AE A350762 STD Isuzu 8943692810 KOLBENSCHMIDT 99340960
2	Bore dia - 76.0 mm TL - 66.0 mm Comp. Height - 41.74 mm	Renault Dacia Nissan	K9K	RENAULT 120A17699R RENAULT 77 01 475 354 MAHLE 021 PI 001240 000 NÜRAL 87-123400-20	MAHLE 021PI001240000 NÜRAL 8712340020 YENMAK, 3104175000 YENMAK, 31-04175-000
3	Bore dia - 76.0 mm TL - 66.0 mm Comp. Height - 41.7 mm	Renault Nissan	K9K	RENAULT 12 0A 184 56R RENAULT 77 01 476 565 RENAULT 12 0A 186 55R RENAULT 77 01 476 563	KOLBENSCHMIDT 41069600 YENMAK 4178000 NURAL 8712340030 MAHLE 021PI00124000
4	Bore dia - 76.0 mm TL - 66.0 mm Comp. Height - 41.7 mm	Renault Dacia Nissan	K9K	RENAULT 12 0A 134 19R RENAULT 12 0A 180 01A NÜRAL 8771953 NÜRAL 8712340024	KOLBENSCHMIDT 41812600 MERCEDES-BENZ A6070300917 MERCEDES- BENZ A6070300817 MERCEDES-BENZ 6070300717
5	Bore dia - 86.0 mm TL - 96.45 mm Comp. Height - 51.41 mm	Isuzu	C190	Isuzu 5-12111-119-0 Isuzu 5-12111-203-0 Isuzu 5-12111-137-0	COBENSCHMIDT 94444600 Isuzu 5-12111-202-0

Skylarc Industrial Solutions LLP

Office No – 906 & 907, Space Odyssey, 150 FT Ring
Road, Nr. KKV Hall, Rajkot - 360005





6	Bore dia - 88.0 mm TL - 82.5 mm Comp. Height - 47.5 mm	Isuzu	C223 Dc23	Isuzu 8-94250-729-0 Isuzu 8-94250-729-0	NÜRAL 87-247600-00 COBENSCHMIDT 94481600
7	Bore dia - 93.0 mm TL - 87.82 mm Comp. Height - 47.9 mm	Isuzu Chevrolet	4JA1	Isuzu 8-94152-712-1 Isuzu 8-94369-281-0 VAUXHALL 91141053 Isuzu 8941527121	Isuzu 8943692810 KOLBENSCHMIDT 99340960 NÜRAL 87-248000-00
8	Bore dia - 75.0 mm TL - 49.93 mm Comp. Height - 27.97 mm	Citroën Peugeot	KFW (TU3JP) KFX (TU3JP)	CITROËN 9637939280 CITROËN 9644237680 NÜRAL 87 138900 30 NÜRAL 9637939480	PEUGEOT 9637939280 PEUGEOT 9644237680 MAHLE 040 02 00 YENMAK 3104500000
9	Bore dia - 83.0 mm TL - 53.3 mm Comp. Height - 33.30 mm	Citroën Peugeot Fiat	LFX (XU7JB) LFZ (XU7JP) LFW (XU7JP)	Yenmak 91-09893-000 Yenmak 9109893000	KOLBENSCHMIDT 94351700 MAHLE 0398700
10	Bore dia - 84.0 mm TL - 70.0 mm Comp. Height - 38.25 mm	Citroën Peugeot Fiat Talbot	169 (XM7T) 169 B 105 (XM7) XM7P XM7T	MAHLE 0392500 MAHLE 039 25 00 YENMAK 31-03879-080 YENMAK 3103879080	KOLBENSCHMIDT 92409600 KOLBENSCHMIDT 92409700 AE PI 7772208 AE PI 7772208
11	Bore dia - 75.0 mm TL - 49.75 mm Comp. Height - 27.7 mm	Citroën Peugeot	KFV (TU3JP) KFW (TU3JP) KFX (TU3JP)	MAHLE 040 11 00 YENMAK 5873000 YENMAK 3889000	AE 24219 STD KOLBENSCHMIDT 99 967 600 NÜRAL 87-138900-10

Skylarc Industrial Solutions LLP

Office No – 906 & 907, Space Odyssey, 150 FT Ring Road, Nr. KKV Hall, Rajkot - 360005





PISTON - TRACTOR

Sr	Description	Engine	Model	Reference no.	Reference no.
1	Bore dia - 91.48 mm TL - 109.4 mm Comp. Height - 61.775 mm		AD 3.152 AD 4.203 D 3.152 D 4.203	NÜRAL #87-314600-10	KOLBENSCHMIDT #99614600
2	Bore dia - 100.0 mm TL - 123.6 mm Comp. Height - 77.66 mm	DEUTZ	FL-912 F 2L-912 F 3L 912D F 4L 912D F 5L 912D F 6L 912D	KHD #0415 4891 MAHLE #099 01 00 BURKERT #20910591201 BURKERT #20910591203	BURKERT #20910591209 DEUTZ-FAHR #0415 4891 KOLBENSCHMIDT #93535600 BURKERT #20910591213
3	Bore dia - 102.0 mm TL - 123.2 mm Comp. Height - 74.55 mm	DEUTZ	F 3L 913 F 4L 913 F 6L 913	DEUTZ-FAHR #0223 9482 KHD #0223 9482 FIAT #42520098 MAHLE #0994300	KOLBENSCHMIDT #93741600 BURKERT #20910591301 DEUTZ #0223 6691
4	Bore dia - 102 mm TL - 123.6 mm Comp. Height - 69.175 mm	DEUTZ	F 3L 913 F 4L 913 F 6L 913	DEUTZ #0223 6691 KHD #0223 6691 MAHLE #0993600 FIAT #4 252 009 8	DEUTZ-FAHR #0415 2183 KHD #0223 9482 BURKERT #20910591301 KOLBENSCHMIDT #93741600
5	Bore dia - 100 mm TL - 101.2 mm Comp. Height - 59.7 mm	FIAT FIATAGRI	8030.02 8040.02 8060.02 8065.02.200	FIAT #1901132 FIAT #1908744 AE #21217801	NÜRAL #350617 NÜRAL #87 206800 00 MAHLE #007 97 00
6	Bore dia - 101.05 mm TL - 120.95 mm Comp. Height - 70.133 mm	PERKINS	4.248	PERKINS #86780 NE # 7136050000 WG 1022364 AE #350115	KOLBENSCHMIDT #92144800 MAHLE ORIGINAL #0433010 MAHLE #0433011 WG 1213113

Skylarc Industrial Solutions LLP

Office No – 906 & 907, Space Odyssey, 150 FT Ring Road, Nr. KKV Hall, Rajkot - 360005





7	Bore dia - 111.76 mm TL - 129.5 mm Comp. Height - 70.65 mm	FORD	2514 E 4256	FORD #D 4 NN 6108 AB METAL LEVE #P A1096 MAHLE #0144900 TRW #175-9492	NEW HOLLAND #83928178 KOLBENSCHMIDT #97505600 SCHÖTTLE #80-2101-00 AE #A350202 STD
8	Bore dia - 111.76 mm TL - 111.76 mm Comp. Height - 68.15 mm Comp. Height - 68.15	Ford	2512 E, 3201, 6Y 3.3, BSD 444	KOLBENSCHMIDT 111029	KOLBENSCHMIDT #99382600
9	Bore dia - 106 mm	Ford	2504 E ND RD	FORD #C 5 NN 6108 V FORD #D 6 NN 6108 FORD #C 7 NN 6108 AJ	MAHLE #014 89 00 AE #350199 STD KOLBENSCHMIDT #93566600
10	Bore dia - 91.48 mm TL - 109.5 mm Comp. Height - 61.835 mm	PERKINS	D 3.152 D 4.203 AD 3.152 AD 4.203	PERKINS #59618 VOLVO #7483665 TRW #175-9534 AE #350245 STD	PERKINS #89214BDG PERKINS #86705BFE NÜRAL #87-525100-00 KOLBENSCHMIDT #92772600
11	Bore dia - 101.05 mm TL - 121.08 mm Comp. Height - 70.263 mm	PERKINS	LF-4.248 LG- 4.248.2	PERKINS #3135M101 MAHLE #0437100	KOLBENSCHMIDT #93569600 MASSEY FERGUSON # 747050M91
12	Bore dia - 91.48 mm TL - 108.0 mm Comp. Height - 57.245 mm	PERKINS	3.152 4.203 6.305	PERKINS #7413665 MAHLE #0432400 AE #408105 STD	PERKINS #7483665 KOLBENSCHMIDT #92 772 600 KOLBENSCHMIDT #91 130 700
13	Bore dia - 98.48 mm TL - 120.97 mm Comp. Height - 70.0 mm	PERKINS COMMER	4.236	PERKINS #86780 TRW #1759561	NÜRAL #87-107200-10 KOLBENSCHMIDT #91118600

Skylarc Industrial Solutions LLP

Office No – 906 & 907, Space Odyssey, 150 FT Ring
Road, Nr. KKV Hall, Rajkot - 360005





14	Bore dia - 98.48 mm TL - 120.57 mm Comp. Height - 69.91 mm	PERKINS COMMER	6.354, 6.354 V	PERKINS #86740 PERKINS #82158 TRW #175-9478	SCHÖTTLE #80-3603-00 KOLBENSCHMIDT #92774600 MAHLE #043 26 00
15	Bore dia - 100.0 mm TL - 108.23 mm Comp. Height - 70.26 mm	PERKINS RENAULT	PERKINS 1106C- E60TA, RENAULT T 4.40	VOLVO #3976526 PERKINS #U5LH0003 MAHLE #043 94 00	CATERPILLAR #397-6526 MASSEY FERGUSON #4222134M91 KOLBENSCHMIDT #94543600
16	Bore dia - 108.0 mm TL - 141.0 mm Comp. Height - 87.0 mm	ROMANIA UTD	U50, U65, U650, 500	UTB #10303110ST UTB #20303110 UTB #10303110R	KOLBENSCHMIDT #91 66360 0 MAHLE #495 20 00
17	Bore dia - 106.5 mm TL - 100.7 mm Comp. Height - 71.7 mm	JOHN DEERE	4045 DF 270, 4045 TF 250, 6068 TF 150	JOHN DEERE RE 515372 JOHN DEERE RE 28919	KOLBENSCHMIDT 40622600 MAHLE 106 L 21
18	Bore dia - 106.5 mm TL - 100.7 mm Comp. Height - 71.7 mm	JOHN DEERE	Perkins LF - 4.248	PERKINS #3135M101 MAHLE #0437100	KOLBENSCHMIDT #93569600 MASSEY FERGUSON # 747050M91
19	Bore dia - 98.48 mm TL - 108.4 mm Comp. Height - 70.55 mm	PERKINS	T4.236, T4.38	PERKINS U5LP0022 PERKINS U5LP0046	KOLBENSCHMIDT #93801600
20	Bore dia - 98.48 mm TL - 108.1 mm Comp. Height - 75.25 mm	PERKINS	AT 4.236, T 4.236	KOLBENSCHMIDT 098065	KOLBENSCHMIDT #93562600 KOLBENSCHMIDT 098065RI

Skylarc Industrial Solutions LLP

Office No – 906 & 907, Space Odyssey, 150 FT Ring
Road, Nr. KKV Hall, Rajkot - 360005





21	Bore dia - 101.05 mm TL - 120.95 mm Comp. Height - 70.133 mm	PERKINS	4.248, 4.248(LF), A4.248(LF)	PERKINS #86940 PERKINS #89207 MAHLE #043 30 10	NURAL 8731800000 YENMAK 3103852000
----	--	---------	------------------------------------	--	---------------------------------------

PISTON - TRUCK

Sr	Description	Engine	Model	Reference no.	Reference no.
1	Bore dia - 130.0 mm TL - 169.5 mm Comp. Height - 101.0 mm	DAF	DKSE 1160, DKV 1160, DKZ 1160, DKXE 1160	DAF #0356893 DAF #0682072 MAHLE #213 60 00	KOLBENSCHMIDT #93 99160 0 NÜRAL #87 704340 00 YENMAK 3103382000
2	Bore dia - 120.0 mm TL - 155.25 mm Comp. Height - 86.0 mm	HINO	EB 400	13216-1230A	13216-1230
3	Bore dia - 137.0 mm TL - 145.3 mm Comp. Height - 90.3 mm	HINO	EK 100	13216-1224 13216-1222	13216-1220A
4	Bore dia - 93.0 mm TL - 102.80 mm Comp. Height - 47.80 mm	ISUZU CHEVROLET	4JA1	ISUZU #8943692810 NÜRAL #87-248000-00 VAUXHALL #91141053	KOLBENSCHMIDT 99340600 AE A350762 STD YENMAK 3104386000

Skylarc Industrial Solutions LLP

Office No – 906 & 907, Space Odyssey, 150 FT Ring Road, Nr. KKV Hall, Rajkot - 360005





5	Bore dia - 112.0 mm TL - 94.5 mm Comp. Height - 60.8 mm	ISUZU	4HF1	8-97183-667-0	897183667
6	Bore dia - 95.0 mm TL - 94.15 mm Comp. Height - 51.15 mm	KOMATSU	S6D95 S4D95	6207-31-2180	6207312180
7	Bore dia - 125.0 mm TL - 141.87 mm Comp. Height - 89.87 mm	MAN	D 2565 D 2566	MAN #51 02501 0696 MAN #51 02501 0714	KOLBENSCHMIDT 93552600 MAHLE 2282800
8	Bore dia - 128.0 mm TL - 141.4 mm Comp. Height - 89.4 mm	MAN	D 2866 KF, D 2866 LU	MAN 51.02501-0746 MAN 51.02501-7433	KOLBENSCHMIDT 90337600 YENMAK 71-07598-000
9	Bore dia - 128.0 mm TL - 141.8 mm Comp. Height - 89.8 mm	MAN	D 2866, D 2866 KF, D 2866 T	MAN #51.02501-7386 MAN #51.02501-7385 Yenmak 3103598000 AE ASA2290	OE Germany 020320286601 KOLBENSCHMIDT #90334600 Mahle 2289090 SM 80313000
10	Bore dia - 97.0 mm TL - 115.7 mm Comp. Height - 65.20 mm	Mercedes- Benz OM	314, 344, 352 353, 354	MAHLE #004 45 10 YENMAK 51-65635-000 SCHÖTTLE #80-1031-00	MERCEDES-BENZ #3520306018 MERCEDES-BENZ #3520306618 KOLBENSCHMIDT #90274800

Skylarc Industrial Solutions LLP

Office No – 906 & 907, Space Odyssey, 150 FT Ring
Road, Nr. KKV Hall, Rajkot - 360005





11	Bore dia - 97.50 mm TL - 107.52 mm Comp. Height - 62.76 mm	Mercedes- Benz OM	256, 264, 266	NÜRAL #87 740000 20 MAHLE #002 99 00 YENMAK 31-04714-000 SM #801076001	MERCEDES-BENZ #3640301017 MERCEDES-BENZ #3660301018 BF #20040335200 AUGER 109133
12	Bore dia - 128.0 mm TL - 126.35 mm Comp. Height - 81.35 mm	Mercedes- Benz OM	421, 422, 423, 492, 481	RHIAG #10652388 MAHLE #0036610 YENMAK #3650 009 000 BF #20910340003	MERCEDES-BENZ #4220301117 BURKERT #20910340003 TRW #1759893 KOLBENSCHMIDT #93484602
13	Bore dia - 128.0 mm TL - 126.35 mm Comp. Height - 81.35 mm	Mercedes- Benz OM	441, 442, 443, 444	NÜRAL #87 179300 65 SCHÖTTLE #80104800 MEC-DIESEL #850970 Yenmak 3104711000	MERCEDES-BENZ #4420370601 SM 811048 81-1048 OE Germany #01 0320 440000 KOLBENSCHMIDT #128043
14	Bore dia - 128.0 mm TL - 126.35 mm Comp. Height - 81.35 mm	Mercedes- Benz OM	421, 422, 481, 482, 492	WG 1104124 YENMAK 3103650000 MAHLE #003 66 00 TRW #175-9893	MERCEDES-BENZ #4230301817 MERCEDES-BENZ #4220301117 KOLBENSCHMIDT #93484602
15	Bore dia - 128.0 mm TL - 161.26 mm Comp. Height - 90.26 mm	Mercedes- Benz OM	355	NE #130100002600 WG 1200782 YENMAK 4901000 MAHLE #003 54 00	MERCEDES-BENZ #A3550304517 NÜRAL #87-176900-00 KOLBENSCHMIDT #93 568 600
16	Bore dia - 128.0 mm TL - 126.32 mm Comp. Height - 81.35 mm	Mercedes- Benz OM	421.901, 421.951, 421.958	AUGER 108938 BURKERT #20910342709 SCHÖTTLE #80-1047-00 MEC-DIESEL #850960	MERCEDES-BENZ #4230300717 MERCEDES-BENZ #4230300917 KOLBENSCHMIDT #93485600 SF-Engine 03 010 132
17	Bore dia - 100.0 mm TL - 105.0 mm Comp. Height - 58.0 mm	SWARAJ- MAZDA	3500cc SL, SL	SSPR P272 SSPR PR272	USHA P272 USHA PR272

Skylarc Industrial Solutions LLP

Office No – 906 & 907, Space Odyssey, 150 FT Ring Road, Nr. KKV Hall, Rajkot - 360005





18	Bore dia - 120.0 mm TL - 130.45 mm Comp. Height - 84.95 mm	TATRA	T 3 -928, T 3 -929 T 3 -930	KOLBENSCHMIDT 93235600 KOLBENSCHMIDT 89350110	KOLBENSCHMIDT #93235600 KOLBENSCHMIDT #93263600
19	Bore dia - 104.775 mm TL - 132.55 mm Comp. Height - 88.55 mm	VOLVO	D7, D7A230, D7A285, D7B230 D7B260	VOLVO 477802 VOLVO 477801 MAHLE 038 37 00 NÜRAL 87-142800-00	KOLBENSCHMIDT #99749600 YENMAK 31-04087-000 WILMINK GROUP Wg1212683 IPSA PI 077000

Skylarc Industrial Solutions LLP

Office No – 906 & 907, Space Odyssey, 150 FT Ring
Road, Nr. KKV Hall, Rajkot - 360005

